

## ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE ER REGULATORY CONTACT RECORD

**Date/Time:** November 12, 2004/8:00  
**Site Contact(s):** Norma Castaneda      Annette Primrose  
**Phone:** 303 966-4226      303 966-4385

**Regulatory Contact:** Harlen Ainscough  
**Phone:** 303 692-3337  
**Agency:** CDPHE

**Purpose of Contact:** Completion of the 700-2 Hotspot Remediation

### Discussion

The remediation of the arsenic exceedance at 700-2 (B707) sample location CE43-007 was completed. Confirmation samples were collected from the bottom, south and west sides of the excavation. The excavation is bounded to the east by B707, and to the west by an approximately 10-foot square concrete patio for one of the building entrances, and samples could not be collected. The highest arsenic concentration for the confirmation samples was 15 mg/kg, well below the action level of 22.2 mg/kg. Backfill will not be performed as the area will be disturbed significantly during building demolition.

**Contact Record Prepared by:** Annette Primrose

### Required Distribution:

M. Aguilar, USEPA  
H. Ainscough, CDPHE  
S. Bell, DOE-RFPO  
J. Berardini, K-H  
B. Birk, DOE-RFPO  
L. Brooks, K-H ESS  
L. Butler, K-H RISS  
G. Carnival, K-H RISS  
N. Castaneda, DOE-RFPO  
C. Deck, K-H Legal  
N. Demos, SSOC  
S. Gunderson, CDPHE  
M. Keating, K-H RISS  
L. Kimmel, USEPA  
D. Kruchek, CDPHE  
J. Legare, DOE-RFPO

D. Mayo, K-H RISS  
J. Mead, K-H ESS  
S. Nesta, K-H RISS  
L. Norland, K-H RISS  
K. North, K-H ESS  
E. Pottorff, CDPHE  
A. Primrose, K-H RISS  
R. Schassburger, DOE-RFPO  
S. Serreze, K-H RISS  
D. Shelton, K-H ESS  
C. Spreng, CDPHE  
S. Surovchak, DOE-RFPO  
J. Walstrom, K-H RISS  
K. Wiemelt, K-H RISS  
C. Zahm, K-H Legal

### Additional Distribution:

G. Pudlik, K-H RISS

